

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

50  
DEC. 24. 2003 9:20AM

JCWSCS 29 DEC 2003

NO. 7612 P. 1

Varian, Inc.  
3120 Hansen Way, M/S D-102  
Palo Alto, CA 94304-1030 U.S.A.

**To** Office of Initial Patent Examination  
Filing Receipt Corrections

**Company** UNITED STATES PATENT AND TRADEMARK OFFICE

**Fax number** 1.703.746.9195

**From** Bella Fishman

**Date** December 24, 2003

**Subject** US Patent Application No. 10/672,611  
Filing Date: September 26, 2003  
Our Docket No. 99-14 US

Phone: 650.424.5086  
Fax: 650.424.3827

bella.fishman@varianinc.com  
www.varianinc.com



**VARIAN**

**Pages (including this sheet) 3**

I, Debbie Kus, hereby certify that on December 24 2003 this correspondence is being transmitted by facsimile to the Office of Initial Patent Examination Filing Receipt Corrections at 1.703.746.9195 at the US Patent and Trademark Office.

Signature

*Debbie Kus*

12/24/03  
Date Signed

Please see the attached Request for Corrected Filing Receipt.

This fax transmission may be confidential and subject to attorney-client, attorney work product and/or other legal privileges. If you are not the intended recipient or the person responsible for delivery to the intended recipient, you may not read, use, copy or distribute this fax transmission. If you received this fax transmission in error, please immediately notify by telephone the person who sent it, and return to that person by mail the original transmission and any copies thereof.

If you have any problems receiving this fax transmission, please call (650) 424-4814.

*fax*

Docket N .: 99-14 US

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Paul A. Keifer

Serial No.: 10/672,611

Filed: September 26, 2003

Title: TEMPERATURE CONTROLLED  
SAMPLE CHANGER FOR NMR  
ANALYSIS

Examiner: Not Assigned

Art Unit: 1348

I, Debbie Kus, hereby certify that on December 24, 2003, this  
correspondence is being transmitted by facsimile to the Office of Initial  
Patent Examination Filing Receipt Corrections, at 1.703.746.9195.

Debbie Kus 12/24/03  
Signature Date Signed

Office of Initial Patent Examination  
Filing Receipt Corrections

**REQUEST FOR CORRECTED FILING RECEIPT**

Sir:

Applicant hereby requests that a corrected Filing Receipt be issued for the above-identified patent application.

The official Filing Receipt received by the Applicant, a copy of which is attached hereto, needs to be corrected as follows:

Please change the Title from "Temperature controlled sample change for NMR analysis"  
to - - Temperature controlled sample changer for NMR analysis - -.

Applicant additionally requests that all pertinent Patent and Trademark Office records relating to the subject application be changed to reflect the correction indicated above.

Should any fee be required, please charge these fees to our Deposit Account No. 50-0895.

Respectfully submitted,

Bella FishmanDate: December 24, 2003

Varian, Inc.  
3120 Hansen Way  
Legal Department, D-102  
Palo Alto, CA 94304  
(650) 424-5086

Bella Fishman  
Agent for Applicant  
Registration No. 37,485

\\share.nmr.varianinc.com\VISHARE\legal\usart\debbie\patentfiles\99\doctets\99-14\99-14 correction(filing receipt).doc



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22304-4450  
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/672,611	09/26/2003	2862	750	99-14 US	2	16	3

23693  
Varian Inc.  
Legal Department  
3120 Hansen Way D-102  
Palo Alto, CA 94304

RECEIVED  
DEC 23 2003

LEGAL DEPARTMENT

CONFIRMATION NO. 3706

## FILING RECEIPT



\*OC000000011528337\*

Date Mailed: 12/18/2003

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

## Applicant(s)

Paul A. Keifer, Omaha, NE;

## Domestic Priority data as claimed by applicant

## Foreign Applications

If Required, Foreign Filing License Granted: 12/18/2003

Projected Publication Date: 03/31/2005

Non-Publication Request: No

Early Publication Request: No

## Title

Temperature controlled sample change for NMR analysis

## Preliminary Class

324

CHANGER